

# Package ‘R2HTML’

October 12, 2022

**Version** 2.3.3

**Date** 2022-05-22

**Title** HTML Exportation for R Objects

**Depends** R (>= 2.0)

**Imports** stats, graphics, utils, grDevices, methods

**Suggests** boot, splines, survival, cluster, nlme, rpart, nnet

**Description** Includes HTML function and methods to write in an HTML file. Thus, making HTML reports is easy. Includes a function that allows redirection on the fly, which appears to be very useful for teaching purpose, as the student can keep a copy of the produced output to keep all that he did during the course. Package comes with a vignette describing how to write HTML reports for statistical analysis. Finally, a driver for 'Sweave' allows to parse HTML flat files containing R code and to automatically write the corresponding outputs (tables and graphs).

**License** GPL (>= 2)

**URL** <https://github.com/nalimilan/R2HTML>

**NeedsCompilation** no

**Author** Eric Lecoutre [aut],  
Milan Bouchet-Valat [cre, ctb],  
Thomas Friedrichsmeier [ctb]

**Maintainer** Milan Bouchet-Valat <nalimilan@club.fr>

**Repository** CRAN

**Date/Publication** 2022-05-23 09:40:02 UTC

## R topics documented:

|                         |   |
|-------------------------|---|
| HTLMReplaceNA . . . . . | 2 |
| HTM2clip . . . . .      | 3 |
| HTML . . . . .          | 4 |

|                           |    |
|---------------------------|----|
| HTML.cormat . . . . .     | 5  |
| HTML.data.frame . . . . . | 6  |
| HTML.function . . . . .   | 8  |
| HTML.latex . . . . .      | 10 |
| HTML.title . . . . .      | 11 |
| HTMLbr . . . . .          | 12 |
| HTMLChangeCSS . . . . .   | 13 |
| HTMLCSS . . . . .         | 14 |
| HTMLgrid . . . . .        | 15 |
| HTMLInitFile . . . . .    | 17 |
| HTMLInsertGraph . . . . . | 18 |
| HTMLplot . . . . .        | 20 |
| HTMLStart . . . . .       | 21 |
| HTMLstem . . . . .        | 23 |
| RweaveHTML . . . . .      | 24 |

|              |           |
|--------------|-----------|
| <b>Index</b> | <b>25</b> |
|--------------|-----------|

---

|               |                                  |
|---------------|----------------------------------|
| HTMLReplaceNA | <i>Internal R2HTML functions</i> |
|---------------|----------------------------------|

---

## Description

Internal R2HTML functions

## Usage

```
HTMLReplaceNA(Vec, Replace = " ")
HTMLCommand(x, file = HTMLGetFile(),
  Num = "", menu = FALSE, target= "index<-main.html", append = TRUE, ...)
HTMLcode(x,...)
```

## Arguments

|         |   |
|---------|---|
| Vec     | string  |
| Replace | string to use for missing values  |
| x       | a string corresponding to a R command   |
| file    | the target HTML file  |
| Num     | number of the command   |
| menu    | to build a menu of commands   |
| target  | As command is put in a left frame, name of the linked target HTML page                                    |
| append  | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| ...     | ...   |

**Details**

These are not to be called by the user.

---

HTM2clip

*Wrapper around HTML() to save output to the clipboard*


---

**Description**

Calls HTML() with appropriate filename and append attributes to write output to clipboard (currently only works on Windows).

**Usage**

```
HTM2clip(x,
         filename =file("clipboard",
                        ifelse(.Platform$OS == "windows", "w",
                               stop("Writing to clipboard only supported on Windows"))),
         append = FALSE, ...)
```

**Arguments**

|          |   |
|----------|---|
| x        | object to be output to HTML   |
| filename | destination output file, defaults to clipboard  |
| append   | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' decides if the filevalue of the width HR optional argument, in pixel or percent |
| ...      | ... (passed on to HTML())   |

**Value**

no value returned.

**Note**

This function was contributed by Gabor Grothendieck.

**Author(s)**

Eric Lecoutre

**See Also**

[HTML](#)

**Examples**

```
if (.Platform$OS == "windows")
  HTM2clip(summary(lm(rating ~., attitude)))
```

---

**HTML***Outputs an object to a HTML file*

---

**Description**

Generic method equivalent to print that performs HTML output for any R object.

**Usage**

```
HTML(x, ...)
```

**Arguments**

|     |                    |
|-----|--------------------|
| x   | R object to export |
| ... | ...                |

**Details**

HTML function acts like cat, with a file argument, which has to be used and a append argument, which is set by default to TRUE. A convenient default value for file argument can be set by calling [HTMLInitFile](#) or [HTMLSetFile](#), so that one may begin to set this variable and omit the argument thereafter. Most of the current classes are handled by HTML function. Some specific methods such as HTML.matrix or HTML.data.frame do own a lot of arguments to specify the way the data are exported.

**Value**

no value returned.

**Author(s)**

Eric Lecoutre

**See Also**

[HTML.data.frame](#), [HTML.function](#), [HTMLInitFile](#), [HTMLStart](#)

**Examples**

```
dir.create(file.path(tempdir()), "R2HTML")
target <- HTMLInitFile(file.path(tempdir()), "R2HTML", filename="sample", BackGroundColor="#BBBBEE")
HTML("<br>Don't forget to use the CSS file in order to benefit from fixed-width font", file=target)
tmp <- as.data.frame(matrix(rnorm(100), ncol=10))
HTML(tmp, file=target)
HTMLEndFile()
```

HTML.cormat

*Write a correlation matrix with HTML formatting***Description**

Although the class 'cormat' is not defined, the function is called HTML.cormat, to highlight the fact it should be called only with a correlation matrix. It is documented as a regular S3 method for technical reasons. Contrary to the signature shown, below, you will call it as HTML.cormat, explicitly, as shown in the examples.

**Usage**

```
## S3 method for class 'cormat'
HTML(x, file = HTMLGetFile(),
     digits = 2, append = TRUE, align = "center",
     caption = "", captionalign = "bottom",
     classcaption = "captiondataframe", classtable = "cormat", useCSS = TRUE, ...)
```

**Arguments**

|              |   |
|--------------|---|
| x            | a correlation matrix  |
| file         | target HTML output  |
| digits       | number of digits to use for rounding  |
| append       | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| align        | alignment to be used: center, left or right   |
| caption      | optional caption to append to the table   |
| captionalign | alignment to be used for the caption: could be bottom or top  |
| classcaption | CSS class to use for caption  |
| classtable   | CSS class to be used for the whole table (in html <table> statement)                                      |
| useCSS       | whether to use CSS or not for traffic highlighting  |
| ...          | ...   |

**Value**

returns (invisibly) the input

**Note**

“Highlighting traffic” is a simple technique which allows to have a visual representation of data. It is particularly well suited for correlation matrices in order to have at a glance the underlying (linear) structure of data. If your output doesn't rely on CSS styles, you should use useCSS=FALSE option, whihc hard codes grey levels for correlations.

For CSS uses, you can (re)define colours and other attributes for correlations in `seq(0, 1, length=11)`-defined intervals. Some definitions could be equivalent, not showing any difference. You can, by example, redefine CSS so that only correlations greater than 0.9 are showed, and lower the size of cells, which could be usefull for veryu big datasets.

### Author(s)

Eric Lecoutre

### See Also

[HTML](#)

### Examples

```
tmpfic=HTMLInitFile(tempdir(),CSSFile="http://www.stat.ucl.ac.be/R2HTML/Pastel.css")
data(iris)
HTML(as.title("Fisher Iris dataset / Correlation matrix - normal matrix"),
     file=tmpfic)
HTML(cor(iris[,1:4]), file=tmpfic)
HTML(as.title("Fisher Iris dataset / Correlation matrix - traffic highlighting"),
     file=tmpfic)
HTML.cormat(cor(iris[,1:4]), file=tmpfic)

# File is generated, you can call the browser:
## Not run: browseURL(tmpfic)
```

---

HTML.data.frame

*Write a data.frame (or matrix) to a HTML output*

---

### Description

This function exports a `data.frame` to a HTML file. Many arguments allow to customize the layout of the HTML table.

### Usage

```
## S3 method for class 'data.frame'
HTML(x, file = HTMLGetFile(),
     Border = 1, innerBorder = 0, classfirstline = "firstline",
     classfirstcolumn = "firstcolumn", classcellinside = "cellinside",
     append = TRUE, align = "center", caption = "", captionalign = "bottom",
     classcaption = "captiondataframe", classtable = "dataframe",
     digits = getOption("R2HTML.format.digits"),
     nsmall = getOption("R2HTML.format.nsmall"),
     big.mark = getOption("R2HTML.format.big.mark"),
     big.interval = getOption("R2HTML.format.big.interval"),
     decimal.mark = getOption("R2HTML.format.decimal.mark"),
     sortableDF = getOption("R2HTML.sortableDF"), row.names = TRUE, ...)
```

**Arguments**

|                  |  |
|------------------|--|
| x                | a data.frame   |
| file             | target HTML output   |
| Border           | the size of the border around the table. Could be 0,1,... but also NULL  |
| innerBorder      | the size of the border inside the table - see details  |
| classfirstline   | CSS class for the first line (header - variable names)   |
| classfirstcolumn | CSS class for the first column (rownames)  |
| classcellinside  | CSS class for others cells   |
| append           | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file'  |
| align            | alignment to be used: center, left or right  |
| caption          | optional caption to append to the table  |
| captionalign     | alignment to be used for the caption: could be bottom or top   |
| classcaption     | CSS class to use for caption   |
| classtable       | CSS class to be used for the whole table (in html <table> statement)   |
| digits           | number of digits to use for rounding   |
| nsmall           | number of digits which will always appear to the right of the decimal point in formatting real/complex numbers in non-scientific formats. Allowed values '0 <= nsmall <= 20' |
| big.mark         | character; if not empty used as mark between every 'big.interval' decimals before (hence 'big') the decimal point  |
| big.interval     | see 'big.mark' above; defaults to 3  |
| decimal.mark     | the character used to indicate the numeric decimal point   |
| sortableDF       | See details  |
| row.names        | logical. If 'TRUE' row.names are shown in the output; otherwise they are omitted   |
| ...              | ...  |

**Details**

For the moment, HTML.matrix and HTML.data.frame do have the same options. Tables are build using two different HTML tables, one beeing encapsulated within the other, which allows to have a table without borders inside but with a border outside. It is nevertheless recommended to rely on CSS to obtain such results...

Now format is called to format numerical values (modif. suggested by Arne Henningsen). The corresponding arguments are: digits, nsmall, big.mark, big.intervall and decimal.mark. For each argument, one can supply either a single value or a vector. In the second case, the size of the vector has to be the number of columns of the data.frame and formatting options will be used element-wise (column by column).

Some options are used to pass default values. You can see those options with (by example): `getOption("R2HTML.format.decimal.mark")` and `options("R2HTML.format.decimal.mark"=",")`

Sortable data.frame uses a DHTML behavior. This requires the file 'tablesort.htc' which comes with **R2HTML** to be placed in the same directory than the output. This functionality only works for HTML files located on a web server (not on local computer).

### Value

no value returned.

### Author(s)

Eric Lecoutre

### See Also

[HTML](#)

### Examples

```
tmpfic=HTMLInitFile(tempdir(),CSSFile=system.file("samples", "R2HTML.css", package="R2HTML"))
data(iris)
HTML(as.title("Fisher Iris dataset"),file=tmpfic)
HTML(iris, file=tmpfic)
# File is generated, you can call the browser:
## Not run: browseURL(tmpfic)

# Export one line of iris using default decimal separator
HTML(iris[1,],file="")

# Seeing default decimal separator:
getOption("R2HTML.format.decimal.mark")

# Modifying it:
options("R2HTML.format.decimal.mark"=",")
HTML(iris[1,],file="")

# Bypassing value set in option:
HTML(iris[1,],file="",decimal.mark="*")

# Using a vector for formatting options
HTML(iris[1:2,1:2],nsmall=c(3,1),file="")
```

---

HTML.function

*Writes the code of a function to a target HTML file*

---

### Description

Writes the code of a function to a target HTML file



**Usage**

```
## S3 method for class 'function'  
HTML(x, file = HTMLGetFile(), append=TRUE,...)
```

**Arguments**

|        |   |
|--------|---|
| x      | Name of a function  |
| file   | target HTML output  |
| append | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| ...    | ...   |

**Details**

The code of the function is written in the target HTML file, using HTML <XMP> tag. A CSS class called "function" is used to personalise the output.

**Value**

no value returned.

**Note**

For a discussion about .HTML.file default value for file argument, refer to [HTMLStart](#)

**Author(s)**

Eric Lecoutre

**See Also**

[HTML](#)

**Examples**

```
## Define a function and export it's code to the file /test.html.  
## Target file may be changed when submitting this code...  
  
myfile <- paste(tempfile(), ".html", sep="")  
myfun <- function(x){  
  cat("\n Euclidian norm")  
  return(sqrt(sum(x^2)))  
}  
HTML(myfun, file=myfile)  
cat("\n Test output written in: ", myfile)
```

HTML.latex

*Insert a piece of LaTeX into a HTML file***Description**

This makes use of AsciiMathML javascript functions. Standard LaTeX input will be turned into MathML and displayed through any browser extension that can handle MathML (such as Math-Player)

**Usage**

```
as.latex(x, label=NULL,
inline=ifelse(is.null(label), TRUE, FALSE), count=ifelse(is.null(label), FALSE, TRUE))
## S3 method for class 'latex'
HTML(x, file = HTMLGetFile(), ...)
```

**Arguments**

|        |  |
|--------|--|
| x      | String containing mathematics in a LaTeX notation                    |
| file   | HTML target output file  |
| label  | String - Label to be displayed before the equation                   |
| inline | Boolean - Place of the equation within the output flux - see details |
| count  | Boolean - Should the equation be numbered or not?                    |
| ...    | ...  |

**Details**

Mathematical notations will be translated in MathML by the AsciiMathML javascript program of Peter Jipsen. Note that his functions allow translating equations with a notation simpler than LaTeX (see his page on AsciiMathML for details). Pieces of LaTeX could be put *inline* (within text) or on a single line : same opposition that the one between  $...$$  and  $$$...$$$ . In order to work, a reference to the javascript file has to be present within the HTML file **and** the HTML body tag has also to include `onload="translate()"`. All the necessary stuff is included in [HTMLInitFile](#).

**Value**

no value returned.

**Author(s)**

Eric Lecoutre

**References**

AsciiMathML: <http://www1.chapman.edu/~jipsen/mathml/asciimath.xml>

**See Also**[HTMLInitFile](#), [HTML](#)**Examples**

```
## Not run:
fic = HTMLInitFile()
HTML.title("sample page",1,file=fic)
HTML("First paragraph",file=fic)
cat("Some text and then an equation:",file=fic,append=TRUE)
HTML(as.latex("\int_{-\infty}^1 f(x)dx" ),file=fic)
cat(". Nice isn't it?",file=fic,append=TRUE)
HTML(as.latex("\int_{-\infty}^1 f(x)dx",inline=FALSE) ,file=fic)
HTML(as.latex("\int_{-\infty}^1 f(x)dx",inline=FALSE,count=TRUE) ,file=fic)
HTML(as.latex("\int_{-\infty}^1 f(x)dx",inline=FALSE,label="My equation") ,file=fic)
cat("file:", fic, "is created")
browseURL(fic)
## End(Not run)
```

HTML.title

*Writes a title in a target HTML output***Description**

A title is a string with the S3 class "title". The function `as.title` gives this class to an object, so that `title` method of `HTML` could apply to it. However, it is also possible to call this method, explicitly, providing a plain string.

**Usage**

```
## S3 method for class 'title'
HTML(x, HR = 2, CSSclass=NULL,
file = HTMLGetFile(), append=TRUE,...)
as.title(x)
```

**Arguments**

|          |   |
|----------|---|
| x        | string  |
| HR       | rank attribute of the HTML <H?> tag   |
| CSSclass | CSS class to use for personalised reports   |
| file     | the target HTML file  |
| append   | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| ...      | ...   |

**Value**

no value returned.

**Note**

For a discussion about `.HTML` file default value for file argument, refer to [HTMLStart](#)

**Author(s)**

Eric Lecoutre

**See Also**

[HTML](#)

**Examples**

```
## Write a title in the file /test.html.
## Target file may be changed when submitting this code...

myfile <- paste(tempfile(),".html",sep="")

tit1 <- as.title("This is method 1")

HTML(tit1, file=myfile)

HTML.title("This is method 2",file=myfile, HR=3)
cat("\n Test output written in: ",myfile)
```

---

HTMLbr

*Facility functions to write HTML code*

---

**Description**

Write `<br>`, `<li>` and `<hr>` tags, which are often used, to an output file.

**Usage**

```
HTMLbr(x=1, file = HTMLGetFile(), append=TRUE)
HTMLli(txt="", file = HTMLGetFile(), append=TRUE)
HTMLhr(file = HTMLGetFile(), Width = "100%", Size = "1",
CSSclass=NULL, append=TRUE)
```

**Arguments**

|          |   |
|----------|---|
| x        | number of <br> to put   |
| txt      | text to appear after the <li> tag   |
| file     | HTML target output file   |
| Width    | value of the width HR optional argument, in pixel or percent  |
| Size     | value of the size HR optional argument  |
| append   | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| CSSclass | CSS class to use for personalised reports   |

**Value**

no value returned.

**Note**

For a discussion about .HTML.file default value for file argument, refer to [HTMLStart](#)

**Author(s)**

Eric Lecoutre

**See Also**

[HTML](#)

**Examples**

```
## Insert a line to a HTML file
## Change the path/name of the file to redirect to your test file

myfile <- paste(tempfile(),".html",sep="")
HTMLhr(file=myfile)
cat("\n Test output written in: ",myfile)
```

---

HTMLChangeCSS

*Change the current CSS file for dynamic use of package*

---

**Description**

When using in dynamic mode, a call to HTMLStart copy the R2HTML.css file to the specified output directory (temp by default). HTMLChangeCSS copy a new CSS file to this destination (or to working directory). Then, the produced HTML files are now based on this new CSS.

**Usage**

```
HTMLChangeCSS(newCSS = "R2HTML", from = NULL)
```

**Arguments**

|        |  |
|--------|--|
| newCSS | Name of the CSS to use (without the extension) |
| from   | Source directory where to search the CSS file  |

**Value**

A boolean: whether this has been done or not.

**Note**

In order to work properly, this assumes you have used R2HTML.css file (the default one), as this is this file which will be replaced by the new one.

**Author(s)**

Eric Lecoutre

**See Also**

[HTMLStart](#)

**Examples**

```
## Not run:  
HTMLStart()  
(x=diag(3))  
HTMLChangeCSS("Pastel")  
# refresh the browser  
  
## End(Not run)
```

---

HTMLCSS

*Insert HTML code to refer to an external CSS file*

---

**Description**

Allow to use CSS file in a report

**Usage**

```
HTMLCSS(file = HTMLGetFile(), append = TRUE, CSSfile = "R2HTML.css")
```

**Arguments**

|         |   |
|---------|---|
| file    | the target HTML file  |
| append  | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| CSSfile | name of the CSS file to refer   |

**Value**

no value returned.

**Author(s)**

Eric Lecoutre

**References**

For information about CSS, have a look at W3 web site <http://www.w3.org/Style/CSS/>

**Examples**

```
myfile <- file.path(tempdir(),"tmp.html")
HTMLCSS(myfile,CSSfile="myownCSS.CSS")
```

---

HTMLgrid *Creates a HTML grid using ActiveWidget grid -*  
[www.activewidgets.com](http://www.activewidgets.com)

---

**Description**

All HTMLgrid functions do use the component ActiveWidget grid. Basically, we use this component to display data, so the functions export a data.frame. Data could be stored within the HTML file (HTMLgrid\_inline) or in an external raw text file which would be required asynchronously (HTMLgrid).

**Usage**

```
HTMLgrid(x, file = HTMLGetFile(), append = TRUE,
  includeref = FALSE, align = "center", digits = getOption("R2HTML.format.digits"),
  nsmall = getOption("R2HTML.format.nsmall"),
  big.mark = getOption("R2HTML.format.big.mark"),
  big.interval = getOption("R2HTML.format.big.interval"),
  decimal.mark = getOption("R2HTML.format.decimal.mark"),
  asDF = TRUE, browse = FALSE, classes = NULL, showimages = TRUE)
HTMLgrid_inline(x,file = HTMLGetFile(), append=TRUE,
  includeref=FALSE, align="center", digits=getOption("R2HTML.format.digits"),
  nsmall = getOption("R2HTML.format.nsmall"),
  big.mark = getOption("R2HTML.format.big.mark"),
```

```

big.interval = getOption("R2HTML.format.big.interval"),
decimal.mark = getOption("R2HTML.format.decimal.mark"),
asDF=TRUE,browse=FALSE, classes=sapply(x,class), showimages=TRUE)
HTMLgrid_summary(x,file=NULL,append=TRUE, digits=getOption("R2HTML.format.digits"),
nsmall = getOption("R2HTML.format.nsmall"),
big.mark = getOption("R2HTML.format.big.mark"),
big.interval = getOption("R2HTML.format.big.interval"),
decimal.mark = getOption("R2HTML.format.decimal.mark"), browse=FALSE)
HTMLgrid_references(file=)

```

### Arguments

|              |  |
|--------------|--|
| x            | a data.frame   |
| file         | target HTML output - see details below   |
| append       | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file'  |
| includeref   | logical. If 'TRUE', references to necessary CSS+Javascript files will be included. See details.  |
| align        | "center", "left" or "right"  |
| digits       | number of digits to use for rounding   |
| nsmall       | number of digits which will always appear to the right of the decimal point in formatting real/complex numbers in non-scientific formats. Allowed values '0 <= nsmall <= 20' |
| big.mark     | character; if not empty used as mark between every 'big.interval' decimals before (hence 'big') the decimal point  |
| big.interval | see 'big.mark' above; defaults to 3  |
| decimal.mark | the character used to indicate the numeric decimal point   |
| asDF         | logical. If 'TRUE', output will be considered as a data frame (which also mean by default we show icons for data type)   |
| browse       | logical. If 'TRUE', the output file will directly be called within a browser.  |
| classes      | vector of classes for the object. If NULL, the default, will be created using real classes. Could be used to bypass default formatting associated with each class            |
| showimages   | logical. Display or not little icons in columns headers  |

### Details

Those exportation methods require several external files, including the runtime version of ActiveWidgets grid. To include the necessary references, you can use HTMLgrid\_references. Be careful: if you intend to put multiple grids on a same output, the references has to be present only once in the output. \ If you set the file argument to NULL, a new temp file will be created.

### Value

|      |                    |
|------|--------------------|
| file | target HTML output |
|------|--------------------|



**Note**

Presentation relies on pure CSS + Javascript. It may be possible than future upgrade change the presentation of grids created with this version.

**Author(s)**

Eric Lecoutre

**References**

ActiveWidgets Grid 1.0 - <http://www.activewidgets.com>

**Examples**

```
data(iris)
fic <- HTMLInitFile(useGrid=TRUE,useLaTeX=FALSE)
fic <- HTMLgrid_inline(iris,file=fic)
cat("\n Browse file 'fic':",fic)
## Not run: browseURL(fic)
```

---

HTMLInitFile

*Begins / Ends a new HTML report output*

---

**Description**

HTMLInitFile handles the beginning and HTMLEndFile the ending of a HTML report, by writing the HTML <body><head><title></title></head>...</body> tags and their options. When working manually, the user may need to use it's own functions or to explicitly write to a file using cat("", file=).

HTMLInitFile and HTMLSetFile sets the default file path to be used by HTML functions, and HTMLGetFile retrieves it.

**Usage**

```
HTMLInitFile(outdir = tempdir(), filename="index", extension="html",
HTMLframe=FALSE, BackGroundColor = "FFFFFF", BackGroundImg = "",
Title = "R output", CSSFile="R2HTML.css", useLaTeX=TRUE, useGrid=TRUE)
HTMLEndFile(file = HTMLGetFile())
HTMLSetFile(file)
HTMLGetFile()
```

**Arguments**

|           |  |
|-----------|--|
| outdir    | directory to store the output                |
| filename  | target HTML report filename                  |
| extension | target HTML report extension (htm, html,...) |

|                 |  |
|-----------------|--|
| HTMLframe       | should the output be handled by frames [boolean]   |
| BackGroundColor | option bgcolor for HTML tag <body>   |
| BackGroundImg   | option background for HTML tag <body>  |
| Title           | string to pass to HTML <title> tag   |
| CSSFile         | path and name of a CSS file to use   |
| useLaTeX        | boolean - add required references to javascript AsciiMathML in order to use as.latex       |
| useGrid         | boolean - add required references to javascript grid in order to use R2HTML grid fonctions |
| file            | target HTML file to set as default or to end   |

**Value**

physical path of the main HTML file that will serve for the report.

**Author(s)**

Eric Lecoutre

**See Also**

[HTML](#), [as.latex](#), [HTMLgrid](#)

**Examples**

```
# Store in target the name of a output file
dir.create(file.path(tempdir(),"R2HTML"))
target <- HTMLInitFile(file.path(tempdir(),"R2HTML"),"index", BackGroundColor="#BBBBEE")
# Use target to write a dataframe
HTML(as.title("Here is the data frame"),file=target)
HTML("<br>Don't forget to use the CSS file in order to benefit from fixed size police",
      file=target)
tmp <- as.data.frame(matrix(rnorm(100),ncol=10))
HTML(tmp,file=target)
HTMLEndFile()
```

---

HTMLInsertGraph

*Insert a graph in a HTML report*

---

**Description**

Write the HTML <img> tag to an output, so that a existant graph could be displayed in the HTML report

**Usage**

```
HTMLInsertGraph(GraphFileName="", Caption="", GraphBorder=1,
Align="center", WidthHTML=500, HeightHTML=NULL,
file=HTMLGetFile(), append=TRUE,...)
```

**Arguments**

|               |   |
|---------------|---|
| GraphFileName | Name of the target graph (GIF, JPEG or PNG)   |
| Caption       | If non empty, text to be written under the graph, as its caption  |
| GraphBorder   | Size of the border, in pixels   |
| Align         | Alignment of the graph (center, left or right)  |
| WidthHTML     | Width of the image in HTML  |
| HeightHTML    | Height of the image in HTML (NULL for not specified)  |
| file          | Name of the target HTML file (the report)   |
| append        | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| ...           | ...   |

**Details**

The steps to add a graph to a HTML file are the following: first create the graph, by using a device convenient for web pages, such as GIF, JPEG or PNG. Ensure to write it in the same directory than the HTML file. Then call HTMLInsertGraph.

**Value**

no value returned.

**Author(s)**

Eric Lecoutre

**See Also**

[HTMLplot](#)

**Examples**

```
directory=tempdir()
HTMLoutput=file.path(directory,"output.html")
graph1="graph1.png"
# Write graph to a file
## Not run: png(file.path(directory,graph1))
## Not run: plot(table(rpois(100,5)), type = "h", col = "red", lwd=10,main="rpois(100,lambda=5)")
## Not run: dev.off()
# Insert graph to the HTML output
HTMLInsertGraph(graph1,file=HTMLoutput,caption="Sample discrete distribution plot")
```

HTMLplot

*Insert a graphic into an HTML output***Description**

Exports the active graphic to a JPEG or GIF file and add it to a target HTML output, by writing the <IMG> tag.

**Usage**

```
HTMLplot(Caption = "", file = HTMLGetFile(), append = TRUE,
GraphDirectory = ".", GraphFileName = "", GraphSaveAs = "png", GraphBorder = 1,
Align = "center", Width = 500, Height = 500, WidthHTML = NULL, HeightHTML = NULL,
GraphPointSize = 12, GraphBackGround = "white", GraphRes = 72, plotFunction = NULL, ...)
```

**Arguments**

|                 |   |
|-----------------|---|
| Caption         | text to be placed below the graphic, as a caption   |
| file            | the target HTML file  |
| append          | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| GraphDirectory  | path where file should be stored; ignore in a HTMLStart/HTMLStop session                                  |
| GraphFileName   | name of the file to produce (could be missing)  |
| GraphSaveAs     | an existing exportation device, such as jpg or gif  |
| GraphBorder     | HTML border option for the <IMG> tag  |
| Align           | HTML align option for the <IMG> tag   |
| Width           | width of the image to create (passed to the driver)   |
| Height          | height of the image to create (passed to the driver) (NULL: not specified)                                |
| WidthHTML       | Width of the image in HTML  |
| HeightHTML      | Height of the image in HTML (NULL for not specified)  |
| GraphPointSize  | To be passed to the device creator function   |
| GraphBackGround | To be passed to the device creator function   |
| GraphRes        | To be passed to the device creator function   |
| plotFunction    | Function to be evaluated for the on-the-fly creation of the graph to be exported                          |
| ...             | ...   |

**Details**

Note that this function is coded to work automatically when using automatic exportation with [HTMLStart](#). When using manually, user should pay attention to the GraphDirectory option, so that graph files are in the same directory as HTML output files. When using to write reports in a non interactive way, first generate the graphic using a device and then use [HTMLInsertGraph](#).

**Value**

no value returned.

**Author(s)**

Eric Lecoutre

**See Also**

[HTMLStart](#), [HTMLInsertGraph](#)

**Examples**

```
## Plots a graphic and insert it into the file /test.html.
## Target file and also graph directory should be changed when submitting this code...

myfile <- paste(tempfile(),".html",sep="")
plot(sin, -pi, 2*pi,main="Sinus")
# HTMLplot(file=myfile,GraphDirectory="/",Caption="Look at this curve!")
```

---

HTMLStart

*Start / Stop the automatic redirection of output to HTML files*

---

**Description**

Add the automatic redirection of output to an HTML file. The R session is modified in the following way: a new prompt is proposed (by default HTML>) and each parsed command is also evaluated using [HTML](#) generic method, so that the user benefits of both a normal and a HTML output. Please read carefully the details below.

**Usage**

```
HTMLStart(outdir = tempdir(), filename = "index", extension = "html",
echo = FALSE, autobrowse = FALSE, HTMLframe = TRUE, withprompt = "HTML> ",
CSSFile = "R2HTML.css", BackGroundColor = "FFFFFF", BackGroundImg = "",
Title = "R output")
HTMLStop()
```

**Arguments**

|            |  |
|------------|--|
| outdir     | physical directory to store the output                                 |
| filename   | name of the target HTML main file                                      |
| extension  | extension of the target HTML file (htm, html,...)                      |
| echo       | should the parsed commands be written in the output? [boolean]         |
| autobrowse | should the browser be invoked each time a command is issued? [boolean] |

|                 |  |
|-----------------|--|
| HTMLframe       | should the output have a HTML frame structure? [boolean] |
| withprompt      | prompt to display while using HTMLStart/HTMLStop         |
| CSSfile         | path and name of a CSS file to use                       |
| BackgroundColor | option bgcolor for HTML tag <body>                       |
| BackgroundImg   | option background for HTML tag <body>                    |
| Title           | string to pass to HTML <title> tag                       |

### Details

The user may need to know the following points which describe how R2HTML does work:

- Each parsed command is evaluated and the returned value is passed to the generic function HTML. This evaluation is assured by addTaskCallback function, which is used to add a specific task each time R has to parse an expression.
- A new environment is built, where internal variables such as physical path are stored. This environment is not visible by the user. It is destroyed when calling HTMLStop.

### Value

no useful output is returned.

### Note

The argument echo is very usefull for teaching purposes.

### Author(s)

Eric Lecoutre

### See Also

[HTML](#)

### Examples

```
# Perform's one's own direct report

dir.create(file.path(tempdir(),"R2HTML"))
HTMLStart(file.path(tempdir(),"R2HTML"),HTMLframe=FALSE, Title="My report",autobrowse=FALSE)
as.title("This is my first title")
x <- 1
y<- 2
x+y
HTMLStop()

## Use for interactive teaching course
if (interactive()){
```

```
dir.create(file.path(tempdir(),"R2HTML"))
HTMLStart(file.path(tempdir(),"R2HTML"),echo=TRUE)
as.title("Manipulation vectors")
1:10
sum(1:10)
c(1:10,rep(3,4))
HTMLStop()
}
```

---

HTMLstem

*Insert a stem-and-leaf plot in the HTML output*

---

## Description

Insert a stem-and-leaf plot in the HTML output.

## Usage

```
HTMLstem(x, file = HTMLGetFile(), append = TRUE, ...)
```

## Arguments

|        |   |
|--------|---|
| x      | a numeric vector.   |
| file   | the target HTML file  |
| append | logical. If 'TRUE' output will be appended to 'file'; otherwise, it will overwrite the contents of 'file' |
| ...    | any other argument that may be passed to stem, such as scale,...  |

## Details

As stem internal function does not return anything but directly print to console, there is no way to automatically export it to the HTML output. Thus, HTMLstem simply captures the output and write it to the HTML file. When using the package in a interactive way, you should call HTMLstem.

## Value

no value returned.

## Author(s)

Eric Lecoutre

## See Also

[stem,HTML](#)

### Examples

```
data(islands)
tmpfic=paste(tempfile(),"html",sep=".")
HTMLstem(log10(islands),tmpfic)
cat("\n stem-and-leaf writen to:", tmpfic,"\n")
```

---

RweaveHTML

*A driver to parse HTML noweb files with Sweave tool*

---

### Description

This driver parses HTML files containing R code and replace pieces of code with their output. Graphs are incorporated as png.

### Usage

```
RweaveHTML()
```

### Value

None value is returned. From a .snw noweb file, the corresponding .html is produced (as eventuals png files for graphs).

### Note

In order to work properly, noweb codes have to be located at the beginning of a line (no indentation). See samples in the samples directory of the package.

### Author(s)

Eric Lecoutre

### See Also

[Sweave](#)

### Examples

```
## Not run:
library(tools)
Sweave("file.snw",driver=RweaveHTML)

## End(Not run)
```



# Index

## \* IO

- HTM2clip, 3
- HTML, 4
- HTML.cormat, 5
- HTML.data.frame, 6
- HTML.function, 8
- HTML.latex, 10
- HTML.title, 11
- HTMLbr, 12
- HTMLChangeCSS, 13
- HTMLCSS, 14
- HTMLgrid, 15
- HTMLInitFile, 17
- HTMLInsertGraph, 18
- HTMLplot, 20
- HTMLStart, 21
- HTMLstem, 23
- RweaveHTML, 24

## \* datasets

- HTML.data.frame, 6
- HTMLgrid, 15

## \* file

- HTM2clip, 3
- HTML, 4
- HTML.function, 8
- HTML.latex, 10
- HTML.title, 11
- HTMLbr, 12
- HTMLChangeCSS, 13
- HTMLCSS, 14
- HTMLInitFile, 17
- HTMLInsertGraph, 18
- HTMLplot, 20
- HTMLStart, 21
- RweaveHTML, 24

## \* misc

- HTLMReplaceNA, 2

## \* multivariate

- HTML.cormat, 5

## \* print

- HTM2clip, 3
- HTML, 4
- HTML.function, 8
- HTML.latex, 10
- HTML.title, 11
- HTMLbr, 12
- HTMLCSS, 14
- HTMLInitFile, 17
- HTMLInsertGraph, 18
- HTMLplot, 20
- HTMLStart, 21

## \* univar

- HTMLstem, 23

as.latex, 18

as.latex (HTML.latex), 10

as.title (HTML.title), 11

HTLMReplaceNA, 2

HTM2clip, 3

HTML, 3, 4, 6, 8, 9, 11–13, 18, 21–23

HTML.cormat, 5

HTML.data.frame, 4, 6

HTML.function, 4, 8

HTML.latex, 10

HTML.matrix (HTML.data.frame), 6

HTML.title, 11

HTML2clip (HTM2clip), 3

HTMLbr, 12

HTMLChangeCSS, 13

HTMLcode (HTLMReplaceNA), 2

HTMLCommand (HTLMReplaceNA), 2

HTMLCSS, 14

HTMLEndFile (HTMLInitFile), 17

HTMLGetFile (HTMLInitFile), 17

HTMLgrid, 15, 18

HTMLgrid\_inline (HTMLgrid), 15

HTMLgrid\_references (HTMLgrid), 15

HTMLgrid\_summary (HTMLgrid), 15

HTMLhr (HTMLbr), 12  
HTMLInitFile, 4, 10, 11, 17  
HTMLInsertGraph, 18, 20, 21  
HTMLli (HTMLbr), 12  
HTMLplot, 19, 20  
HTMLReplaceNA (HTMLReplaceNA), 2  
HTMLSetFile, 4  
HTMLSetFile (HTMLInitFile), 17  
HTMLStart, 4, 9, 12–14, 20, 21, 21  
HTMLstem, 23  
HTMLStop (HTMLStart), 21

RweaveHTML, 24  
RweaveHTMLFinish (RweaveHTML), 24  
RweaveHTMLOptions (RweaveHTML), 24  
RweaveHTMLRuncode (RweaveHTML), 24  
RweaveHTMLSetup (RweaveHTML), 24  
RweaveHTMLWritedoc (RweaveHTML), 24

stem, 23  
Sweave, 24  
SweaveSyntaxHTML (RweaveHTML), 24